# **APPENDIX A**



## City of Watsonville Green Building Program:

Ordinance 1231-07 (CM) codified in Chapter 15 of Title 8 of the Watsonville Municipal Code

# **Standards for Compliance**

#### I. OVERVIEW:

The City of Watsonville Green Building program distinguishes between two types of building projects: (a) non-residential projects, and (b) residential projects.

The non-residential component is based on the U.S. Green Building Council Leadership in Energy and Environmental Design (LEED) standard, which awards points based on building <u>performance</u>. The calculations of performance for LEED are typically done by design professionals using specialized knowledge and forms. Thus the LEED system is typically used for larger projects in the non-residential (commercial) sector, where specialized professionals will typically be involved already.

The residential component is based on the Alameda County Waste Management Authority (ACWMA) Green Building Guidelines and awards points for specific measures rather than performance. The identification of the measures being utilized does not require specialized knowledge. Thus the ACWMA system is suitable for both small and large projects, not necessarily employing specialized professionals.

The basis for compliance consists of the checklists from these two programs, which set out the number of points earned for any one of the measures on the checklist. Compliance is measured in terms of the total number of points for the items to which the applicant commits at the time of building permit application.

Projects are required to implement items for which points have been awarded. Typically this will be enforced at intermediate or final Building Inspections. If for some reason beyond the applicant's control a measure cannot be implemented, then other green item(s) with an equivalent point total must be substituted, with prior approval from the Building Department.

The point systems are used to award the following <u>actions</u>:

(1) Receipt of the building permit (mandatory)

A minimum number of points (as described below) are required to receive the building permit. This element of the program is mandatory. The only exceptions are relatively small projects; the threshold sizes for these exceptions are given below along with the point requirements.

## (2) Project Recognition and Green Building Award (optional)

Projects achieving a still larger number of points (as described below) will be recognized publicly through the Education and Outreach Program and will receive Green Building Awards.

#### II. STANDARDS FOR COMPLIANCE FOR NON-RESIDENTIAL PROJECTS:

#### **Leed Model**

The LEED system recognizes six major categories of opportunities and uses the checklist in Appendix A. Points are awarded for performance that meets or exceeds defined metrics in each category. As a performance-based system, LEED provides the flexibility to accommodate a variety of designs and materials. Design teams can develop their own solutions to achieve a given point, or build upon elements of previously successful projects. After completion, the USGBC awards certification levels, ranging from basic Certification to Platinum recognition, according to the total number of points earned for green elements incorporated into the final project.

The six categories addressed by LEED are:

#### **Sustainable Sites**

Site selection affects energy consumption, commuting choices, local ecosystems, and
infrastructure needs. Considerations include proximity to downtown, urban redevelopment,
rehabilitation of adversely affected lands, minimizing building footprint, preserving natural
ecosystems and agricultural lands, building orientation, landscaping, stormwater flow, and
erosion control.

#### **Materials and Resources**

 Maximize use of reused/reusable and recycled-content/recyclable materials. Minimize use of scarce resources and materials that create environmental or health problems during mining, production, transportation, building, use, or at the end of their useful life.

#### **Energy and Atmosphere**

• Maximize use of renewable energy sources, energy efficiency and passive solar design measures. Minimize fossil fuel and other non-renewable resource use.

#### **Water Conservation and Management**

• Maximize water conservation and water quality.

#### **Indoor Air Quality**

 Maximize indoor air quality. Minimize or eliminate toxic emissions generated by chemical offgassing from synthetic and treated materials or from mold, including chemicals in furniture, rugs, and prefabricated materials.

#### **Innovation and Design**

• Encourage innovative approaches not specified in the other five categories that enhance LEED objectives and City policies.

#### **Non-Residential Green Building Actions**

A total of 75 LEED points (Appendix C) may earn actions at the building permit stage. (Projects are awarded points for each of the measures considered 'prerequisites' in the original LEED rating system.) The point totals required to receive these actions, whether for new construction, additions, or interior remodels, are summarized in Table 1 below.

The LEED system is performance based, so the point threshold for each of the actions is not dependent on project size.

TABLE 1: NON-RESIDENTIAL (COMMERCIAL) ACTIONS AND POINT REQUIREMENTS

Total points possible	75
Action	Points required to receive action:
C-1. Receipt of Building Permit*	7
C-2. Green Building Award	40

<sup>\*</sup>Exceptions: These points are not required for non-residential additions and remodels totaling less than 1000 square feet, or interior-only non-residential remodels of any size

#### III. STANDARDS FOR COMPLIANCE FOR RESIDENTIAL PROJECTS

### **Alameda County Waste Management Authority Model**

The Green Building Program for residential projects is based on the Residential Green Building Guidelines provided by the Alameda County Waste Management Association (ACWMA). It utilizes a checklist (Appendix B) derived from the ACWMA checklists for new construction and additions/remodels. ACWMA defines residential construction as single-family or multi-family residences, less than or equal to three stories (above grade) in height.

#### **Earning Residential Green Building Rating System Points**

The ACWMA-based checklist awards points for specific measures. Where no explicit quantitative measure for receiving credit under a specific point item is given, the following guideline shall apply: If a point credit is claimed, that item shall be applied wherever the specific building element mentioned appears in the project, except where physical factors prevent its use. For example, if credit is awarded for recycled low-VOC carpets (item N6) then wherever carpets are installed as part of the project, recycled low-VOC carpets shall be used. This would not preclude use of other types of flooring elsewhere. As a second example, if credit is awarded for "Use Wood I-joists for floors and ceilings" item C.3) but solid sawn lumber needs to be used for deck framing in order to taper the joists to create proper coping for drainage, then credit C.3 applies if Wood I-joists are used for all of the interior (non-deck) floors and ceilings.

#### Residential Green Building Sub-Categories and Size Dependence

The residential system distinguishes between new construction and additions/remodels. The two columns in Appendix A of this document (covering new and additions/remodels, respectively) differ slightly because certain elements are practical only for new construction, while certain other elements are important mainly for remodels which may not be subject to other standards that apply to new construction.

Construction of a detached unit on property with existing dwellings is considered new construction.

Larger projects have more opportunities to incorporate specific measures than small projects. Therefore, larger buildings require more points than smaller buildings, to receive the same building permit action. For the purpose of determining the required points, the size of the project is defined as heated square footage per dwelling unit.

#### **New Residential Construction**

For new residential construction, there are 460 points available for building permit actions (Appendix B). No project will ever earn all 460 points, inasmuch as some measures are mutually exclusive.

For multi-unit properties, points are calculated per dwelling unit. When many of these units are identical to each other, the points do not need to be reported separately for each unit, but all units of a type must incorporate the sustainable measures in order for the project to receive an action. The point requirements to earn each of the actions are summarized below in Table 2.

TABLE 2: RESIDENTIAL NEW CONSTRUCTION ACTIONS AND POINT REQUIREMENTS

Total Points Available		460
Action	Points rec	quired to receive action:
	First 350	Each Additional
	<b>Square Feet</b>	100 Square Feet
R-N-1. Receipt of building permit	10	1.5
R-N-2. Green Building Award	60	3.5

## Residential remodeling or additions

For residential remodeling or additions, 464 points are available (Appendix B). For multi-unit properties, points are calculated per dwelling unit. The point requirements to earn each of the actions are summarized below in Table 3.

TABLE 3: RESIDENTIAL REMODEL AND ADDITION ACTION POINT REQUIREMENTS

Total Points Available		464
Action	Points requ	iired to receive action:
	First 350	Each Additional
	Square Feet	100 Square Feet
R-A/R-1. Receipt of building permit*	10	1.1
R-A/R -2. Green Building Award	60	2.5

<sup>\*</sup>Exception: These points are not required for additions and/or remodels of less than 350 square feet.

# APPENDIX A: Non-Residential Construction Green Building Checklist (LEED-NC 2.1)

252 200	istainable Sites	Points Available for Building Dept Incentives
		(All points on the LEED checklist)
1.	Erosion & Sedimentation Control -	1
2.	Site Selection	1
	Urban Redevelopment/Development	
3.	Density	1
4.	Brownfield Redevelopment	1
	Alternative Transportation - Public	
5.	Transportation Access	1
	Alternative Transportation - Bicycle	
6.	Storage and Changing Rooms	1
-	Alternative Transportation - Alternative	4
7.	Fuel Vehicles	1
Ω	Alternative Transportation - Parking Capacity	1
0.	Reduce Site Disturbance - Protect or	'
9.	Restore Open Space	1
٠.	Reduce Site Disturbance - Development	·
10.	Footprint	1
	Stormwater Management - Rate and	
11.	Quantity	1
12.	Stormwater Management - Treatment	1
13.	Heat Island Effect - Non-Roof	1
14.	Heat Island Effect - Roof	1
15.	Light Pollution Reduction	1
	Site-related innovation comparable in	
16.	scope to the above	0
	Available Points	15

E	3. Water Efficiency	Points Available for Building Dept Incentives
	Water Efficient Landscaping - Reduce by	
1	50%	1
	Water Efficient Landscaping - No Potable	
2	Use or No Irrigation	1
3	Innovative Wastewater Technologies	1
4	Water Use Reduction - 20% Reduction	1
5	Water Use Reduction - 30% Reduction  Available Points	1 5

C	. Energy & Atmosphere	Points Available for Building Dept Incentives
	Fundamental Building System	
1	Commissioning	1
	Minimum Energy Performance (already	
2	required in Title 24)	0
3	CFC Reduction in HVAC&R Equipments	1
4	Optimize Energy Performance	10
5	Renewable Energy - 5%	1
6	Renewable Energy - 10%	1
7	Renewable Energy - 20%	1
8	Additional Commissioning	1
9	Ozone Depletion	1
10	Measurement & Verification	1
11	Green Power	1
	Available Points for Energy	19

	D. Materials & Resources	Points Available for Building Dept Incentives
	1 Storage and Collection of Recyclables	1
1	Storage and Collection of Recyclables	1
_	Building Reuse - Maintain 75% of	4
2	Existing Shell	1
3	Building Reuse - Maintain 100% of Existing Shell	1
3	Building Reuse - Maintain 100% Shell	ı
4	and 50% Non-Shell	1
	Construction Waste Management -	
5	Divert 50%	1
	Construction Waste Management -	
6	Divert 100%	1
7	Resource Reuse - Specify 5%	1
8	Resource Reuse - Specify 10%	1
9	Recycled Content - Specify 5%	1
10	Recycled Content - Specify 10%	1
	Local/Regional Materials - 20%	
11	Manufactured Locally	1
	Local/Regional Materials - 20%	
10	Manufactured Locally + 50% Harvested	1
12 13	Locally  Panidly Panewahlo Materials	1
14	Rapidly Renewable Materials Certified Wood	1
17	Available Points	14

E	E. Indoor Environmental Quality	Points Available for Building Dept Incentives
1	Minimum IAQ Performance	1
2	Environmental Tobacco Smoke Control	1
3	Carbon Dioxide Monitoring	1
4	Ventilation Effectiveness	1
	Construction IAQ Management Plan-	1
5	During Construction Available Points	5

E.	Indoor Environmental Quality, Continued	Points Available for Building Dept Incentives
	Construction IAQ Management Plan -	
6	Before Occupancy	1
7	Low-Emitting Materials - Adhesives and Sealants	1
8	Low-Emitting Materials - Paints	1
9	Low-Emitting Materials - Carpet	1
Ŭ	Low-Emitting Materials - Composite	·
10	Wood	1
	Indoor Chemical & Pollutant Source	
11	Control	1
12	Controllability of Systems - Perimeter	1
	Controllability of Systems - Non	
13	Perimeter	1
	Thermal Comfort - Comply with ASHRAE	
14	55-1992	1
	Thermal Comfort - Permanent Monitoring	
15	System	1
	Daylight & Views - Daylight 75% of	
16	Spaces	1
	Daylight & Views - Views for 90% of	
17	Spaces	1
	Available Points	17

F	Innovation & Design Process	Points Available for Building Dept Incentives
1	Innovation in Design	1
2	Another Innovation in Design	1
3	Another Innovation in Design	1
4	Another Innovation in Design	1
5	LEED Accredited Professional	1
	Available Points	5

Total Available Points 75

**Appendix B: Residential Construction Green Building Checklist** 

	Points Available for Building Department Incentives	
	NEW HOMES	ADDITIONS & REMODELS
Community Design Issues		
1. Orient Homes on E/W Axis for Solar Access	0	0
2. Orient Living Rooms and Porches to Streets and Public Spaces	0	0
3. Build Mixed Use, Residential/Commercial	0	0
4. Design for Diverse Family Sizes	0	0
5. Provide "Granny Flats" Above Garages	0	0
6. Build within 1/4 Mile of Public Transit Stop	0	0
7. Minimize Street Widths	0	0
8. Locate Buildings to Preserve Open Space and Wildlife Habitat	0	0
Available Points	0	0
A. Site  1. Recycle Job Site Construction & Demolition Waste 50% Recycling Rate is Required; 65% = 1 point;75% = 2 points; 80% = 4 points	4	4
2. Donate Unused Materials	4	4
3. Protect Native Soil	2	0
Minimize Disruption of Existing Plants & Trees	1	1
5. Implement Construction Site Stormwater Practices	2	2
6. Protect Water Quality with Landscape Design	2	0
7. Design Resource and water-Efficient Landscapes	4	4
8. Reuse Materials/Use Recycled Content Materials for Landscape Areas	2	2
9. Install High-Efficiency Irrigation Systems	2	2
10. Provide for On-Site Water Catchment / Retention	2	2
11. Utilize Permeable Paving for 50% of Nonstructural Site paved area	2	2
Available Points	27	23
B. Foundation		
1. Incorporate Recycled Flyash in Concrete up to15% Recycled Flyash = 2 points; Add 1 point for every 10% increase of flyash, up to 5 points	5	5
2. Reuse Form Boards	1	1
3. Re-usable metal Forms	3	3
4. Use Recycled Content Aggregate	2	2
5. Insulate Foundation/Slab before backfill	3	3
6. Install Rigid Foam, Insulated Concrete Forms (ICFs)	3	3
7. Rammed earth foundation	5	5
Use non-toxic release agents on concrete forms	1	1
Available Points	23	23

	Points Available for Building Department Incentives	
	NEW HOMES	ADDITIONS & REMODELS
C. Structural Frame		
Substitute Solid Sawn Lumber with Engineered Lumber		
a. Floors	1	1
b. Headers (non-structural)	1	1
c. Structural beams and headers	1	1
2. Use FSC Certified Wood for framing (For every 10% of FSC lumber used = 2 points, up to 10)	10	10
3. Use Wood I-Joists for Floors and Ceilings	2	2
4. Use Steel Interior Web Trusses	2	2
5. Design Energy Heels on Trusses	2	2
6. Use OSB		
a. Subfloors	1	1
b. Sheathing	1	1
7. Use Finger-Jointed Studs for Non-Structural Vertical Applications	2	2
8. Use Engineered Studs for Vertical Applications	2	2
Use Recycled Content Steel Studs for Interior     Framing	2	2
10. Reduce lumber framing and improve thermal performance* with alternative wall construction such as: - Insulated concrete forms - including Rastra - Structural Insulated Panels (SIP) - Rammed-earth and pressed earthen block - Straw bale - Structural Bamboo 2 points for every 10% reduction in framing compared to standard framing	20	20
*Steel framing is not eligible for this point due to thermal performance		
11. Design with 8 foot high plate: 2 points for each floor where used	6	6
12. Apply Advanced Framing Techniques	4	4
13. Use Reclaimed Lumber for Non-Structural Applications	3	3
Available Points	60	60

D. Exterior Finish		Points Available for Building Department Incentives		
1. Use Sustainable Decking Materials   3   3   3   3   3   3   3   3   3		NEW HOMES	ADDITIONS & REMODELS	
a. Recycled content b. FSC Certified Wood 3 3 3 3. b. FSC Certified Wood 1 1 1 1. 3. Install House Wrap under Siding 1 1 1 1. 4. Use Alternative Siding Materials a. Recycled content b. Fiber-cement c. Earth and/or plaster 3 3 3 3 3 c. Earth and/or plaster 3 3 3 3 3 c. Earth and/or plaster 5. Use lowino VOC exterior paint such as silicate 2 2 2 Available Points 17 17  E. Plumbing 1. Insulate all Hot Water Pipes 2 2 2 2. Install Flow Reducers to reduce flow to less than code requirement a. Faucets (1 point each, up to 2 points) 2 2 2 5. Showerheads (1 point each, up to 2 points) 2 3. Install Dual Flush Toilets (1 point each, up to 4 points) 4. Install Chlorine Filter on Showerhead 4. Install Chlorine Filter on Showerhead 4. Install Graywater System 8 8 8. Install Water Filtration Units at Faucets (2 points 4 ach, up to 4 points) 9. Install Graywater System 8 8 8. Install Water Filtration Units at Faucets (2 points 4 ach, up to 4 points) 9. Install Chlorine Filter on Showerhead 4 4 1. Install Graywater System 8 7 1. Install Graywater System 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	D. Exterior Finish			
D. FSC Certified Wood   3   3   3   3   2   2. Use Non-CCA Treated Wood   1   1   1   1   3   3   3   3   3   3	Use Sustainable Decking Materials			
2. Use Non-CCA Treated Wood  3. Install House Wrap under Siding  4. Use Alternative Siding Materials  a. Recycled content  b. Fiber-cement  c. Earth and/or plaster  5. Use low/no VOC exterior paint such as silicate  2 2 2  Available Points  17  17  E. Plumbing  1. Insulate all Hot Water Pipes  2. Install Flow Reducers to reduce flow to less than code requirement  a. Faucets (1 point each, up to 2 points)  2. Showerheads (1 point each, up to 2 points)  3. Install Dual Flush Toilets (1 point each, up to 4 points)  4. Install Chlorine Filter on Showerhead  4. Install Chlorine Filter on Showerhead  4. Install Graywater System  8. Install Graywater System  8. Install Water Filtration Units at Faucets (2 points ach, up to 4 points)  9. Install Water Filtration Units at Faucets (2 points ach, up to 4 points)  9. Install Ch-Demand Hot Water Circulation Pump  4. Install Carowaters urinals (1 point each to max of 2)  10. Install zero-waters urinals (1 point each to max of 2)  11. Install rain water collection and storage:  a.2500 gallon capacity  15. Source Stall Points  5. Source Stall Points  7. Install Grain water heat recovery fixtures  3. 3  3. 3  4. Install Compact Fluorescent Light Bulbs − CFLs. (4 bulbs − CFLs. (5 bulbs − CFLs. (6 bulbs − CFLs. (7 buints) and Fluorescent Light Bulbs − CFLs. (7 buints) and Fluorescent Light Bulbs − CFLs. (8 bulbs − CFLs. (1 point each, up to 5 points) (724 REQ)  3. Install High Efficiency Ceiling Fans with CFLs (1 point each, up to 4 points)	a. Recycled content	3	3	
3. Install House Wrap under Siding 4. Use Alternative Siding Materials a. Recycled content b. Fiber-cement c. Earth and/or plaster 3 3 3 5. Use low/no VOC exterior paint such as silicate 2 2 Available Points 17 17  E. Plumbing 1. Insulate all Hot Water Pipes 2. Install Flow Reducers to reduce flow to less than code requirement a. Faucets (1 point each, up to 2 points) 2. Install Dual Flush Toilets (1 point each, up to 4 points) 4. Install Chlorine Filter on Showerhead 4. Install Chlorine Filter on Showerhead 4. Install Tankless Water Heater 6. Pre-plumb for Graywater Conversion 4. Install Water Filtration Units at Faucets (2 points each, up to 4 deach, up to 5 deach, up to 5 deach, up to 5 deach, up to 5 deach, up to 4 deach, up to 4 deach, up to 5 deach, up to 4 deach, up to 4 deach, up to 5 deach, up to 5 deach, up to 4 deach, up to	b. FSC Certified Wood	3	3	
4. Use Alternative Siding Materials a. Recycled content 1 1 1 5. Fiber-cement 3 3 3 5. Use low/no VOC exterior paint such as silicate 5. Use low/no VOC exterior paint such as silicate 2 2 2 Available Points 17 17  E. Plumbing 1. Insulate all Hot Water Pipes 2 1. Install Flow Reducers to reduce flow to less than code requirement a. Faucets (1 point each, up to 2 points) 2 2 2 5. Showerheads (1 point each, up to 2 points) 2 2 2 6. Showerheads (1 point each, up to 2 points) 4. Install Dual Flush Toilets (1 point each, up to 4 points) 4. Install Tankless Water Heater 5. Install Tankless Water Heater 6. Pre-plumb for Graywater Conversion 7. Install Graywater System 8. Install Water Filtration Units at Faucets (2 points each, up to 4 points) 9. Install Con-Demand Hot Water Circulation Pump 10. Install zero-waters urinals (1 point each to max of 2) 11. Install rain water collection and storage: 12. 2500 gallon capacity 10 10 12. Install drain water heat recovery fixtures 3 3 3  Available Points 56 56  F. Electrical 1. Install Compact Fluorescent Light Bulbs – CFLs. (6 bulbs=2 points, 12=4 points, up to 4 points) 1. Install Lighting Controls (1 point per fixture, up to 4 points) 4. Install High Efficiency Ceiling Fans with CFLs (1 doint each, up to 4 points) 4. Install High Efficiency Ceiling Fans with CFLs (1 doint each, up to 4 points) 4. Install High Efficiency Ceiling Fans with CFLs (1 doint each, up to 4 points) 4. Install High Efficiency Ceiling Fans with CFLs (1 doint each, up to 4 points) 4. Install High Efficiency Ceiling Fans with CFLs (1 doint each, up to 4 points)	2. Use Non-CCA Treated Wood	1	1	
a. Recycled content b. Fiber-cement c. Earth and/or plaster 3 3 3 5. Use low/no VOC exterior paint such as silicate 2 2 Available Points 17 17  E. Plumbing 1. Insulate all Hot Water Pipes 2. Insulate Brown to reduce flow to less than code requirement a. Faucets (1 point each, up to 2 points) 2. Install Flow Reducers to reduce flow to less than code requirement a. Faucets (1 point each, up to 2 points) 2. Showerheads (1 point each, up to 2 points) 3. Install Dual Flush Toilets (1 point each, up to 4 points) 4. Install Chlorine Filter on Showerhead 4. Install Chlorine Filter on Showerhead 5. Install Tankless Water Heater 2 6. Pre-plumb for Graywater Conversion 4 7. Install Graywater System 8 8 8 8 8. Install Water Filtration Units at Faucets (2 points ach, up to 4 points) 9. Install Chlorine Filter on Showerhead 10. Install zero-waters urinals (1 point each to max 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		1	1	
D. Fiber-cement   3				
c. Earth and/or plaster         3         3           5. Use low/no VOC exterior paint such as silicate         2         2           Available Points         17         17           E. Plumbing           1. Insulate all Hot Water Pipes         2         2         2           2. Install Flow Reducers to reduce flow to less than code requirement				
S. Use low/no VOC exterior paint such as silicate		I I		
Available Points	c. Earth and/or plaster			
E. Plumbing  1. Insulate all Hot Water Pipes 2. Install Flow Reducers to reduce flow to less than code requirement a. Faucets (1 point each, up to 2 points) 2. Install Dual Flush Toilets (1 point each, up to 4 points) 3. Install Dual Flush Toilets (1 point each, up to 4 points) 4. Install Chlorine Filter on Showerhead 4. Install Chlorine Filter on Showerhead 4. Install Graywater Gonversion 4. Install Graywater System 8. Install Graywater System 8. Install Water Filtration Units at Faucets (2 points each, up to 4 points) 9. Install Con-Demand Hot Water Circulation Pump 4. Install Con-Demand Hot Water Circulation Pump 9. Install Con-Demand Hot Water Circulation Pump 4. Install rain water collection and storage: a.2500 gallon capacity 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5	5. Use low/no VOC exterior paint such as silicate			
1. Insulate all Hot Water Pipes       2       2         2. Install Flow Reducers to reduce flow to less than code requirement       2       2         a. Faucets (1 point each, up to 2 points)       2       2         b. Showerheads (1 point each, up to 2 points)       2       2         3. Install Dual Flush Toilets (1 point each, up to 4 points)       4       4         4. Install Chlorine Filter on Showerhead       4       4         5. Install Tankless Water Heater       2       2         6. Pre-plumb for Graywater Conversion       4       4         7. Install Graywater System       8       8         8. Install Water Filtration Units at Faucets (2 points each, up to 4 points)       4       4         9. Install On-Demand Hot Water Circulation Pump       4       4         10. Install rain water collection and storage:       2       2         11. Install rain water collection and storage:       3       2         12. Install drain water heat recovery fixtures       3       3         Available Points       56       56          F. Electrical       4       4       4         1. Install Compact Fluorescent Light Bulbs – CFLs. (6 bulbs–2 points, 12–4 points, up to 4 points)       4       4         2. Install Air-Tight Insulation-Compatible R	Available Points	17	17	
1. Insulate all Hot Water Pipes       2       2         2. Install Flow Reducers to reduce flow to less than code requirement       2       2         a. Faucets (1 point each, up to 2 points)       2       2         b. Showerheads (1 point each, up to 2 points)       2       2         3. Install Dual Flush Toilets (1 point each, up to 4 points)       4       4         4. Install Chlorine Filter on Showerhead       4       4         5. Install Tankless Water Heater       2       2         6. Pre-plumb for Graywater Conversion       4       4         7. Install Graywater System       8       8         8. Install Water Filtration Units at Faucets (2 points each, up to 4 points)       4       4         9. Install On-Demand Hot Water Circulation Pump       4       4         10. Install rain water collection and storage:       2       2         11. Install rain water collection and storage:       3       2         12. Install drain water heat recovery fixtures       3       3         Available Points       56       56          F. Electrical       4       4       4         1. Install Compact Fluorescent Light Bulbs – CFLs. (6 bulbs–2 points, 12–4 points, up to 4 points)       4       4         2. Install Air-Tight Insulation-Compatible R				
2. Install Flow Reducers to reduce flow to less than code requirement a. Faucets (1 point each, up to 2 points) 2. Showerheads (1 point each, up to 2 points) 2. Install Dual Flush Toilets (1 point each, up to 4 points) 2. Install Dual Flush Toilets (1 point each, up to 4 points) 3. Install Chlorine Filter on Showerhead 4. Install Chlorine Filter on Showerhead 5. Install Tankless Water Heater 2. 2. 2 6. Pre-plumb for Graywater Conversion 4. 4 7. Install Graywater System 8. 8 8. 8 8. 8 8. 8 8. 8 8. 8 8. 8 8.				
Code requirement   2		2	2	
a. Faucets (1 point each, up to 2 points)       2       2         b. Showerheads (1 point each, up to 2 points)       2       2         3. Install Dual Flush Toilets (1 point each, up to 4 points)       4       4         4. Install Chlorine Filter on Showerhead       4       4         5. Install Tankless Water Heater       2       2         6. Pre-plumb for Graywater Conversion       4       4         7. Install Graywater System       8       8         8. Install Water Filtration Units at Faucets (2 points each, up to 4 points)       4       4         9. Install Con-Demand Hot Water Circulation Pump       4       4         10. Install zero-waters urinals (1 point each to max of 2)       2       2         11. Install rain water collection and storage:       2       2         2.2500 gallon capacity       5       5       5         5.5000 gallon capacity       5       5       5         5.5000 gallon capacity       10       10       10         12. Install drain water heat recovery fixtures       3       3       3         Available Points       56       56         F. Electrical       4       4       4         1. Install Compact Fluorescent Light Bulbs – CFLs.       4       4				
D. Showerheads (1 point each, up to 2 points)   2				
3. Install Dual Flush Toilets (1 point each, up to 4 points) 4. Install Chlorine Filter on Showerhead 4. Install Chlorine Filter on Showerhead 5. Install Tankless Water Heater 6. Pre-plumb for Graywater Conversion 4. 4 7. Install Graywater System 8. 8 8. 8 8. 8 8. 8 8. 8 8. 8 8. 8 8.	` ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '			
Doints   A. Install Chlorine Filter on Showerhead   4   4   4   5. Install Tankless Water Heater   2   2   2   2   2   2   2   2   2				
4. Install Chlorine Filter on Showerhead 4. Install Tankless Water Heater 5. Install Tankless Water Heater 6. Pre-plumb for Graywater Conversion 7. Install Graywater System 8. Install Water Filtration Units at Faucets (2 points each, up to 4 points) 9. Install On-Demand Hot Water Circulation Pump 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4	\ .	4	4	
5. Install Tankless Water Heater         2         2           6. Pre-plumb for Graywater Conversion         4         4           7. Install Graywater System         8         8           8. Install Water Filtration Units at Faucets (2 points each, up to 4 points)         4         4           9. Install On-Demand Hot Water Circulation Pump         4         4           10. Install zero-waters urinals (1 point each to max of 2)         2         2           11. Install rain water collection and storage:         2         2           a.2500 gallon capacity         5         5           b.5000 gallon capacity         10         10           12. Install drain water heat recovery fixtures         3         3           Available Points         56         56           F. Electrical         4         4           1. Install Compact Fluorescent Light Bulbs – CFLs. (6 bulbs=2 points, 12=4 points, up to 4 points)         4         4           2. Install Air-Tight Insulation-Compatible Recessed Fixtures for CFLs (1 point each, up to 5 points) (T24 REQ)         5         5           3. Install Lighting Controls (1 point per fixture, up to 4 points)         4         4         4           4. Install High Efficiency Ceiling Fans with CFLs (1 point each, up to 4 points)         4         4	1 /	4	4	
6. Pre-plumb for Graywater Conversion       4       4         7. Install Graywater System       8       8         8. Install Water Filtration Units at Faucets (2 points each, up to 4 points)       4       4         9. Install On-Demand Hot Water Circulation Pump       4       4         10. Install zero-waters urinals (1 point each to max of 2)       2       2         of 2)       11. Install rain water collection and storage:       2       2         a.2500 gallon capacity       5       5       5         b.5000 gallon capacity       10       10       10         12. Install drain water heat recovery fixtures       3       3       3         Available Points       56       56         F. Electrical       4       4       4         I. Install Compact Fluorescent Light Bulbs – CFLs. (6 bulbs=2 points, 12=4 points, up to 4 points)       4       4         2. Install Air-Tight Insulation-Compatible Recessed Fixtures for CFLs (1 point each, up to 5 points) (T24 REQ)       5       5         3. Install Lighting Controls (1 point per fixture, up to 4 points)       4       4       4         4. Install High Efficiency Ceiling Fans with CFLs (1 point each, up to 4 points)       4       4       4				
7. Install Graywater System       8       8         8. Install Water Filtration Units at Faucets (2 points each, up to 4 points)       4       4         9. Install On-Demand Hot Water Circulation Pump       4       4         10. Install zero-waters urinals (1 point each to max of 2)       2       2         11. Install rain water collection and storage:       2       2         a.2500 gallon capacity       5       5         b.5000 gallon capacity       10       10         12. Install drain water heat recovery fixtures       3       3         Available Points       56       56         F. Electrical       4       4         1. Install Compact Fluorescent Light Bulbs – CFLs. (6 bulbs=2 points, 12=4 points, up to 4 points)       4       4         2. Install Air-Tight Insulation-Compatible Recessed Fixtures for CFLs (1 point each, up to 5 points) (T24 REQ)       5       5         3. Install Lighting Controls (1 point per fixture, up to 4 points)       4       4       4         4. Install High Efficiency Ceiling Fans with CFLs (1 point each, up to 4 points)       4       4       4				
8. Install Water Filtration Units at Faucets (2 points each, up to 4 points)  9. Install On-Demand Hot Water Circulation Pump  4 4 4  10. Install zero-waters urinals (1 point each to max of 2)  11. Install rain water collection and storage:  a.2500 gallon capacity  5 5 5  b.5000 gallon capacity  10 10  12. Install drain water heat recovery fixtures  3 3 3  Available Points  56  F. Electrical  1. Install Compact Fluorescent Light Bulbs – CFLs. (6 bulbs=2 points, 12=4 points, up to 4 points)  2. Install Air-Tight Insulation-Compatible Recessed Fixtures for CFLs (1 point each, up to 5 points) (T24 REQ)  3. Install Lighting Controls (1 point per fixture, up to 4 points)  4. Install High Efficiency Ceiling Fans with CFLs (1 point each, up to 4 points)				
9. Install On-Demand Hot Water Circulation Pump 4 0. Install zero-waters urinals (1 point each to max of 2) 11. Install rain water collection and storage: a.2500 gallon capacity 5 5 b.5000 gallon capacity 10 10 12. Install drain water heat recovery fixtures 3 3 Available Points 56 56  F. Electrical 1. Install Compact Fluorescent Light Bulbs – CFLs. (6 bulbs=2 points, 12=4 points, up to 4 points) 2. Install Air-Tight Insulation-Compatible Recessed Fixtures for CFLs (1 point each, up to 5 points) (T24 REQ) 3. Install Lighting Controls (1 point per fixture, up to 4 points) 4. Install High Efficiency Ceiling Fans with CFLs (1 point each, up to 4 points)	8. Install Water Filtration Units at Faucets (2 points			
10. Install zero-waters urinals (1 point each to max of 2)  11. Install rain water collection and storage:  a.2500 gallon capacity  5		1	1	
of 2)  11. Install rain water collection and storage:  a.2500 gallon capacity  5  b.5000 gallon capacity  10  11  12. Install drain water heat recovery fixtures  3  Available Points  56  F. Electrical  1. Install Compact Fluorescent Light Bulbs – CFLs. (6 bulbs=2 points, 12=4 points, up to 4 points)  2. Install Air-Tight Insulation-Compatible Recessed Fixtures for CFLs (1 point each, up to 5 points) (T24 REQ)  3. Install Lighting Controls (1 point per fixture, up to 4 points)  4. Install High Efficiency Ceiling Fans with CFLs (1 point each, up to 4 points)				
a.2500 gallon capacity  b.5000 gallon capacity  10  12. Install drain water heat recovery fixtures  Available Points  5  5  56  F. Electrical  1. Install Compact Fluorescent Light Bulbs – CFLs. (6 bulbs=2 points, 12=4 points, up to 4 points)  2. Install Air-Tight Insulation-Compatible Recessed Fixtures for CFLs (1 point each, up to 5 points) (T24 REQ)  3. Install Lighting Controls (1 point per fixture, up to 4 points)  4. Install High Efficiency Ceiling Fans with CFLs (1 point each, up to 4 points)		2	2	
b.5000 gallon capacity  10  12. Install drain water heat recovery fixtures  3  Available Points  56  56  F. Electrical  1. Install Compact Fluorescent Light Bulbs – CFLs. (6 bulbs=2 points, 12=4 points, up to 4 points)  2. Install Air-Tight Insulation-Compatible Recessed Fixtures for CFLs (1 point each, up to 5 points) (T24 REQ)  3. Install Lighting Controls (1 point per fixture, up to 4 points)  4. Install High Efficiency Ceiling Fans with CFLs (1 point each, up to 4 points)	11. Install rain water collection and storage:			
12. Install drain water heat recovery fixtures  Available Points  56  56  F. Electrical  1. Install Compact Fluorescent Light Bulbs – CFLs. (6 bulbs=2 points, 12=4 points, up to 4 points)  2. Install Air-Tight Insulation-Compatible Recessed Fixtures for CFLs (1 point each, up to 5 points) (T24 REQ)  3. Install Lighting Controls (1 point per fixture, up to 4 points)  4. Install High Efficiency Ceiling Fans with CFLs (1 point each, up to 4 points)	a.2500 gallon capacity	5	5	
12. Install drain water heat recovery fixtures  Available Points  56  56  F. Electrical  1. Install Compact Fluorescent Light Bulbs – CFLs. (6 bulbs=2 points, 12=4 points, up to 4 points)  2. Install Air-Tight Insulation-Compatible Recessed Fixtures for CFLs (1 point each, up to 5 points) (T24 REQ)  3. Install Lighting Controls (1 point per fixture, up to 4 points)  4. Install High Efficiency Ceiling Fans with CFLs (1 point each, up to 4 points)	b.5000 gallon capacity	10	10	
F. Electrical  1. Install Compact Fluorescent Light Bulbs – CFLs. (6 bulbs=2 points, 12=4 points, up to 4 points)  2. Install Air-Tight Insulation-Compatible Recessed Fixtures for CFLs (1 point each, up to 5 points) (T24 REQ)  3. Install Lighting Controls (1 point per fixture, up to 4 points)  4. Install High Efficiency Ceiling Fans with CFLs (1 point each, up to 4 points)		3	3	
1. Install Compact Fluorescent Light Bulbs – CFLs. (6 bulbs=2 points, 12=4 points, up to 4 points)  2. Install Air-Tight Insulation-Compatible Recessed Fixtures for CFLs (1 point each, up to 5 points) (T24 REQ)  3. Install Lighting Controls (1 point per fixture, up to 4 points)  4. Install High Efficiency Ceiling Fans with CFLs (1 point each, up to 4 points)	-	56	56	
1. Install Compact Fluorescent Light Bulbs – CFLs. (6 bulbs=2 points, 12=4 points, up to 4 points)  2. Install Air-Tight Insulation-Compatible Recessed Fixtures for CFLs (1 point each, up to 5 points) (T24 REQ)  3. Install Lighting Controls (1 point per fixture, up to 4 points)  4. Install High Efficiency Ceiling Fans with CFLs (1 point each, up to 4 points)				
(6 bulbs=2 points, 12=4 points, up to 4 points)  2. Install Air-Tight Insulation-Compatible Recessed Fixtures for CFLs (1 point each, up to 5 points) (T24 REQ)  3. Install Lighting Controls (1 point per fixture, up to 4 points)  4. Install High Efficiency Ceiling Fans with CFLs (1 point each, up to 4 points)				
Fixtures for CFLs (1 point each, up to 5 points) (T24 REQ)  3. Install Lighting Controls (1 point per fixture, up to 4 points)  4. Install High Efficiency Ceiling Fans with CFLs (1 point each, up to 4 points)	(6 bulbs=2 points, 12=4 points, up to 4 points)	4	4	
3. Install Lighting Controls (1 point per fixture, up to 4 points)  4. Install High Efficiency Ceiling Fans with CFLs (1 point each, up to 4 points)  4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	Fixtures for CFLs (1 point each, up to 5 points) (T24	0	5	
4. Install High Efficiency Ceiling Fans with CFLs (1 4 point each, up to 4 points)	3. Install Lighting Controls (1 point per fixture, up to	4	4	
	4. Install High Efficiency Ceiling Fans with CFLs (1	4	4	
Available Points 12 17	Available Points	12	17	

1 1 1 1 4 4	ADDITIONS & REMODELS  1 1 1 1 1 4
1 1 1	1 1 1
1 1 1	1 1 1
1	1 1
1	1
4	4
2	2
	2
3	3
2	2
4	
1	
	4
	4
	6
23	23
	1
1	<u> </u>
	2
	2
	6
<b>J</b>	
	1
3	3
<u> </u>	<u></u>
2	2
	1
	4
7	<del>_</del>
2	2
	3
	3
	3
	2
	2
1	1
3	3
4	4
5	5
	3
5	<u> </u>
	2 4 4 6 23  1 2 2 5  1 4 4 3 3 3 3 2 1 4 4 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3

**Available Points** 

	Points Available for Building Department Incentives	
	NEW HOMES	ADDITIONS & REMODELS
K. RENEWABLE ENERGY AND ROOFING		
Pre-Plumb for Solar Water Heating	4	4
Install Solar Water Heating System	10	10
3. Pre-Wire for Future Photovoltaic (PV) Installation	4	4
4. Install Photovoltaic (PV) Panels (1.2 kw = 6	18	18
points, 2.4 kw = 12 points, 3.6 kw = 18 points)		
5. Install Solar (PV) Walkway Lights	4	4
6. Select Safe and Durable Roofing Materials	3	3
7. Install Radiant Barrier Roof Sheathing	3	3
8. Select EPA Energy Star Cool Roofing material	3	3
9. Use roofing materials with at least 33% recycled content	3	3
10. Install a green roof (sod or other living roof)	12	12
11. Install photovoltaic walkway lights (same as 5.)	0	0
Available Points	64	64
Available Foliits	04	04
	,	
L. Natural Heating and Cooling		
Incorporate Passive Solar Heating	5	5
Overhangs or Awnings on South Facing     Windows	3	3
3. Plant Deciduous Trees on the West and South Sides	3	3
Available Points	11	11
M. Indoor Air Quality and Finishes  1. Install Whole House Vacuum System	3	3
2. Use Low/No-VOC Paint	1	1
3. Use Low VOC, Water-Based Wood Finishes	2	2
4. Use Solvent-Free Adhesives	3	3
5. Formaldehyde-Free Particleboard	6	6
6. Use Exterior Grade Plywood for Interior Uses	1	1
7. Use Formaldehyde-Free MDF and Materials	4	4
8. Seal all Exposed Particleboard or MDF	4	4
9. Use FSC Certified Materials for Interior Finish	4	4
10. Use Finger-Jointed or Recycled Content Trim	1	1
Available Points	29	29
N. Flooring		
Select FSC Certified Wood Flooring	8	8
2. Use Rapidly Renewable Flooring Materials	4	4
3. Use Salvaged or at least 20%-Recycled Content Ceramic Tiles	4	4
4. Install Natural Linoleum in Place of Vinyl	5	5
5. Use Exposed Concrete as Finished Floor	4	4
6. Install Recycled Content Carpet with Low VOCs	4	4
7. Use finished concrete for 50% or more of floor	8	8
area on the ground floor  8. Use earthen flooring for 50% of more of floor area on the ground floor	10	10
Available Points	47	47
	··· L	••

	Points Available for Building Department Incentives	
	NEW HOMES	ADDITIONS & REMODELS
OTHER		
Incorporate Listing of green Features Into Cover of Blueprints	1	1
2. Develop Homeowners Manual of Green Features/Benefits	1	1
3. Offer Coupons for Compost Bins to Homeowners	1	1
4. Energy Ratings: Every percent reduction in whole house energy beyond Title 24 Code – 1 point (up to 30 Points).	30	30
5. Innovation Points These points are given for innovative approaches, including model zero net energy homes, new materials and methodologies, currently not identified above. These approaches must meet environmental goals identified in the Residential Green Building Guidelines.	10	10
Available Points	43	43